

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
8 February 2001 (08.02.2001)

PCT

(10) International Publication Number  
**WO 01/10115 A1**

(51) International Patent Classification<sup>7</sup>: **H04N 5/00, 5/445**

(21) International Application Number: PCT/US00/21123

(22) International Filing Date: 3 August 2000 (03.08.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/365,735 3 August 1999 (03.08.1999) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:  
US 09/365,735 (CON)  
Filed on 3 August 1999 (03.08.1999)

(71) Applicant (for all designated States except US): **AMERICA ONLINE, INC.** [US/US]; 22000 AOL Way, Dulles, VA 20166 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **COOPER, Robert, M.** [US/US]; 1105 Park Street, N.E., Washington, DC 20002 (US). **ESCOBAR, George, D.** [US/US]; 365 44 Innisbrook Circle, Purcellville, VA 20132 (US). **KIRSH, Laurence, F.** [US/US]; 695 Old Hunt Way, Herndon, VA 20170 (US). **SILVA, Carlos, A., Jr.** [US/US]; 9810 Potomac Manors Drive, Potomac, MD 20854 (US).

(74) Agents: **RACUNAS, Robert, V., Jr.** et al.; Fish & Richardson, P.C., 601 Thirteenth Street N.W., Washington, DC 20005 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: VARYING ELECTRONIC CONTENT BASED ON LOCAL CONTEXT

(57) Abstract: Electronic content is presented to a viewer in a web-based television (TV) system, including a host computer and a local computer, by detecting that the viewer has requested access to a content page, determining a local context (e.g., local time of day) for that viewer, and determining whether the viewer is logged in to the host computer. Context-specific information associated with the determined local context (e.g., a look and feel for the content page) is then retrieved (i) from the host computer if the viewer is determined to be logged in to the host computer, or (ii) from the local computer if the viewer is not logged in to the host computer. The content page is then customized based on the retrieved context-specific information.

WO 01/10115 A1

## VARYING ELECTRONIC CONTENT BASED ON LOCAL CONTEXT

5 Technical Field

This application relates to varying electronic content based on a local context, for example, adjusting the look, feel and content of a webpage based on a local time of day.

10 Background

The computer system 100 illustrated in Fig. 1 represents a typical hardware setup for executing software that allows a user to perform tasks such as communicating with other computer users, accessing various computer resources, and viewing, creating, or otherwise manipulating electronic content -- that is, any combination of text, images, movies, music or other sounds, animations, 3D virtual worlds, and links to other objects. The system includes various input/output (I/O) devices (mouse 103, keyboard 105, display 107) and a general purpose computer 100 having a central processor unit (CPU) 121, an I/O unit 117 and a memory 109 that stores data and various programs such as an operating system 111, and one or more application programs 113. The computer system 100 also typically includes some sort of communications card or device 123 (e.g., a modem or other network adapter) for exchanging data with a network 127 via a communications link 125 (e.g., a telephone line).

As shown in Fig. 2, a user of a computer system can access electronic content or other resources either stored  
30 locally at the user's own client system 202 (for example, a personal or laptop computer) or remotely at one or more server systems 200. An example of a server system is a host computer that provides subscribers with online computer services such as

e-mail, e-commerce, chat rooms, Internet access, electronic newspapers and magazines, etc. Users of a host computer's online services typically communicate with one or more central server systems 200 through client software executing on their  
5 respective client systems 202.

In practice, a server system 200 typically will not be a single monolithic entity but rather will be a network of interconnected server computers, possibly physically dispersed from each other, each dedicated to its own set of duties and/or  
10 to a particular geographical region. In such a case, the individual servers are interconnected by a network of communication links, in known fashion. One such server system is "America Online 4.0" from America Online, Incorporated of Virginia.

15 A "browser" is an example of client software that enables users to access and view electronic content stored either locally or remotely, such as in a network environment (local area network (LAN), intranet, Internet). A browser typically is used for displaying documents described in Hyper-  
20 Text Markup Language (HTML) and stored on servers connected to a network such as the Internet.

A user instructs a browser to access an HTML document, or webpage, by specifying a network address -- or Uniform Resource Locator (URL) -- at which a desired document resides.  
25 In response, the browser contacts the corresponding server hosting the requested webpage, retrieves the one or more files that make up the webpage, and then displays the webpage in a window on the user's computer screen.

Fig. 3 is a screenshot of a browser application 300  
30 (Microsoft Internet Explorer) displaying a typical HTML

document, or webpage 302. As shown therein, a single webpage 302 may be composed of several different files potentially of different data types 304 (for example, text, graphics, images, virtual worlds, sounds, movies, etc.). In addition, a webpage  
5 can include links 306 pointing to other resources (for example, webpages or individual files) available on the network. Links 306 can take virtually any visual form, for example, they can appear either as a text string or as a graphical image or a combination thereof. Each link 306 has an associated URL  
10 pointing to a location on the network. When a user clicks on, or otherwise selects a displayed link 306, the browser automatically will retrieve the webpage (or other resource) corresponding to the link's associated URL and display it to, or execute it for, the user.

15 Referring to Fig. 4, a "web-based TV" system 400 has been developed that makes dual usage of conventional TV sets 402. That is, a user, or viewer, of web-based TV either can watch TV or view webpages and otherwise "surf" the Internet. In this regard, a special purpose computer 404, referred to as  
20 a "set top device," is used in connection with standard TV sets 402 for viewing webpages on the Internet. The set top device 404 essentially has the same basic components as the general purpose computer 100 illustrated in Fig. 1, except that it also includes a TV tuner 406 for receiving TV programming in the  
25 form of broadcast and/or cable TV signals. The set top device 404 thus can selectively display two different sources of content (TV programming received by TV tuner 406 and web or network content received by communications card 123) on a TV monitor 402 connected to the set top device 404.

30 Accessories may be added to the web-based TV system 400,

for example, a wireless keyboard 408. The wireless keyboard 408 can be similar to keyboard 104 but it also may have specialized keys designed for use in the web-based TV system 400 to make viewing and web surfing easier. Additionally, a  
5 wireless remote control 410 may be used to control the set top device 404 and to facilitate channel surfing and web-based TV connections via various buttons 412, which may be specialized for the web-based TV environment.

An example of an existing web-based TV system 400 is  
10 "WebTV" by Microsoft. Information about WebTV service may be found at WebTV's various webpages, for example, at <http://www.webtv.net> and <http://developer.webtv.net>.

In conventional web-based TV systems, the "look and feel" of the viewer interface (i.e., a collection of visually  
15 embodied mechanisms through which the viewer exchanges information with the web-based TV system) typically is unaffected by a viewer's particular situation or context. That is, each viewer, regardless of time of day, location or circumstance will be presented with essentially the same  
20 interface and graphics. In addition, the web content or other computer network-based resources presented to viewers is the same without regard to the viewers' respective local times, locations, etc. Accordingly, the present inventors recognized that it would be desirable to vary the look, feel, content  
25 and/or other resources based on a user's local context, for example, the user's local time of day.

#### Summary

Various implementations may include one or more of the  
30 following features.

A web-based TV system may include a local computer (e.g., a set top device) at a local site (e.g., a viewer's home or workplace) operatively coupled to, and capable of logging on and off of, a host computer system at a remote site -- e.g., a  
5 system maintained by an online service provider. Other components at the viewer's local site may include a network adapter for communicating with the host computer, a TV tuner for receiving TV signals, a display monitor for displaying computer-network-based and/or TV content, and various input  
10 devices to receive input from the viewer.

In one implementation, electronic content is presented to a viewer of the web-based TV system by detecting that the viewer has requested access to a content page. If so, it is determined whether or not the viewer is logged into the host  
15 computer and a local context (e.g., local time of day, day-part, etc.) for that viewer is identified. Context-specific information associated with the determined local context (e.g., a look and feel for the content page) is then retrieved (i) from the host computer if the viewer is determined to be logged  
20 in to the host computer, or (ii) from the local computer if the viewer is not logged in to the host computer. The content page is then customized based on the retrieved context-specific information.

The local context can be based on information from the  
25 host computer or from the local computer or both. A local context can correspond not only to the local time day of day, but also, or instead, to a day-part (morning, noon, evening, etc.) or to one or more factors associated with the viewer such as geographic location, history of viewing patterns, personal  
30 or demographic data (e.g., age, gender, occupation, income,

education, interests, or family status), or history of e-commerce transactions.

The customized content page presented by the web-based TV system can include text, graphics, utilities and/or a  
5 display of a TV program. Customizing the content page may involve adjusting a "look and feel" of the content page to complement the determined local context, for example, by specifying one or more background colors for the content page, by specifying a thematic element associated with the determined  
10 local context, and/or by modifying a viewer interface for the content page.

Alternatively, or in addition, customizing the content page may involve changing content in the page, for example, by changing text and/or graphics (e.g., advertisements, news,  
15 feature headlines, in the content page) and/or by providing access to one or more utilities (e.g., communications utilities such as e-mail, instant messaging, chatrooms, etc.). Modifying content on the content page also may involve changing one or more of the functionalities made available by the content page,  
20 for example, by changing links (e.g., providing access to associated resources) made available by the content page.

The set top device can receive context-related information from the host system and store the received information at the local site for future use. In that case,  
25 customizing the content page may involve retrieving a first portion of context-related information from the local site and a second portion of context-related information from the remote site. The first portion of context-related information may correspond to a look and feel of the content page and the  
30 second portion of context-related information may correspond to

content of the content page.

The web-based TV system may determine whether the set top device is actively connected to the host system.

Customizing the content page may involve retrieving context-  
5 related information (i) from the remote site if the set top device is determined to be actively connected to the host system (ii) from the local site if the set top device is determined not to be actively connected to the host system.

Customizing the content page also may involve receiving  
10 context-related information in a vertical blanking interval of a TV signal, or using satellite communications.

Presenting the customized content page to the viewer comprises displaying a window on the viewer's display monitor.

In another implementation, presenting electronic content  
15 in a web-based TV system including a host computer and a local computer may involve detecting that a viewer of the web-based TV system has requested access to a content page; determining a local time of day for the viewer; determining whether the viewer is logged in to the host computer; retrieving day-part  
20 information associated with the determined local time of day, the day-part information being retrieved (i) from the host computer if the viewer is determined to be logged in to the host computer, or (ii) from the local computer if the viewer is not logged in to the host computer; and customizing the content  
25 page based on the retrieved day-part information.

In yet another implementation, presenting electronic content in a computer-network based environment including a host computer and a local computer involves determining a local context for a user of the computer network, selectively  
30 retrieving from the host computer or from the local computer



context-related information associated with the determined local context; and customizing the content page based on the retrieved context-related information.

One or more of the following advantages may be realized.

5 The techniques and methods described here may enable a web-based TV system to provide viewers with a viewer interface having a look and feel customized to each viewer's personal or local context -- for example, local time of day. In addition, the content made available to viewer's (e.g., text, images,  
10 utilities, functionality, etc.) can be tailored to complement each viewer's local context. As a result, the web-based TV viewing experience is enhanced both aesthetically and functionally.

Moreover, enabling the set top device to vary the look  
15 and feel and/or content of a page both while in an online and offline state, further enhances the viewing experience. Viewers receive the benefits of context-customized content without the inconvenience and potential costs of having to be connected to a host computer system during most or all of the  
20 viewing session. At the same time, the web-based TV service provider benefits by not having to support the increased number of connection ports that would otherwise be necessary.

The details of one or more embodiments are set forth in the accompanying drawings and the description below. Other  
25 features, objects, and advantages will be apparent from the description and drawings, and from the claims.

#### Drawing Descriptions

Fig. 1 is a block diagram of a computer system.

30 Fig. 2 shows a typical network computing environment.

Fig. 3 shows a screenshot of a browser displaying a webpage.

Fig. 4 is a block diagram of a set top device.

Fig. 5 is a simulated screenshot showing an example of customizing a web-based TV viewer interface based on local time.

Figs. 6A-6C are screenshots showing examples of varying content pages based on a local time of day.

Fig. 7 is a diagram showing various sources of information available to a set top device in a web-based TV environment.

Figs. 8 and 9 are flowcharts of customizing a content page based on a local context.

Like reference numbers and designations in the various drawings indicate like elements.

#### Detailed Description

Fig. 5 is a simulated screenshot. It shows example of what a viewer might see in a web-based TV environment that customizes content and varies the look and feel of a viewer interface according to a local context, for example, the local time of day. As used herein, "look and feel" refers to the virtually any factor that influences a viewer's interaction with, or perception of, a content page. These factors can be either aesthetic or functional or both, and can include items such as colors, designs, graphics, user-interface controls, window attributes, text fonts, etc.

As shown in Fig. 5, the TV monitor screen 500 includes several different elements including a video display region 502 in which received broadcast or cable TV signals are displayed,

a title bar or "hat" region 504 to display status information and the like relating to the web-based TV service provider (in this case "AOL TV"), and a frame region 506 essentially encompassing the video display region 502. The frame region  
5 506 itself is made up of several different components including a graphic 508 or other thematic element, a utility 510 (for example, a chat room area), a product advertisement 512, a programming advertisement 514, and news or feature headlines 516.

10       The purposes of the frame region 506 are several including accentuating the video display region 502, adding a theme, mood or look and feel to the TV screen display as a whole in a manner that emphasizes the viewer's current context, and providing the viewer with access to information and/or  
15 resources in which the viewer is likely to be interested based on the current context. "Context" as used herein is intended to include virtually any factor or characteristic relating to the viewer's personal situation or viewing experience. For example, a viewer's context could be based on one or more of  
20 the following factors: local time of day, geographic region, the viewer's history of viewing choices, demographic or personal data entered by the viewer (e.g., age, gender, occupation, income, education, interests, family status, etc.), the viewer's history of e-commerce transactions, etc.

25       The frame region 506 shown in Fig. 5 arguably fulfills all of the intended purposes. In this example, the scheduled TV programming being viewed by the viewer is a latenight talk show called "Talk-At-You Live!" which happens to come on at 1:00am in the viewer's local time. Accordingly, the current  
30 context can be characterized as "latenight" -- meaning that the

local time for this viewer is near or after midnight. The designation "latenight" is known in the parlance of the TV network and broadcasting industry as a "day-part." Other typical day-parts include morning, afternoon, and primetime.

5 Ordinarily, TV broadcasters schedule TV programming such that TV programs are broadcast during day-parts appropriate for their content. Each of the day-parts can serve as a viewer's context, as that term is used herein.

Although the viewer in the example of Fig. 5 is in a  
10 latenight context, other viewers of AOL TV at the same instant in time will have different contexts, for example, based on the local time in their respective time zones. If, for example, the viewer of the screen in Fig. 5 lived in New York City, the local time for a viewer in Los Angeles would be 10:00pm, which  
15 falls into the primetime day-part. In that case, it would be inappropriate to display a latenight look and feel, or to provide latenight-related resources, to the Los Angeles viewer.

Rather, the Los Angeles viewer should be presented with content and a look and feel that are appropriate to that  
20 viewer's context, namely, the primetime day-part. Accordingly, one of the purposes of the frame region 506 is to accentuate or complement the viewer's current local context.

To this end, the frame region 506 in Fig. 5 includes several elements and features that are consistent with, and  
25 accentuate, the latenight context. First, the frame 506 includes a thematic element -- namely graphic 508 (owl and moon) -- that complements and emphasizes the latenight day-part. In addition, the frame 506 could include coloring, shading or other graphic effects (e.g., a midnight blue  
30 background) that are suggestive of the latenight theme.

The frame region 506 also may include informational items that may relate to the latenight context. For example, the product advertisement 512 is targeted at viewers who stay up late at night watching TV and who might suffer from  
5 insomnia. Similarly, the programming advertisement 514 provides information about a latenight TV program that the viewer might be interested in watching.

In addition to thematic and informational items, the frame region 506 can include utilities or other functional  
10 resources that relate to the current context (latenight) and thus might be of interest to the viewer. In this example, access to "Nite Owl" chatroom is provided is provided by utility 510 so that the viewer can communicate with others who are staying up late and are logged into the AOL TV service.

15 Figs. 6A-6C show an example of varying the content and the look and feel in a web-based TV environment in accordance with a changing local context -- namely, changing day-parts from morning to latenight. The three screenshots shown in Figs. 6A-6C are representations of how the News Channel would  
20 appear to a viewer during the morning, primetime, and latenight day-parts, respectively. Common graphics are used on all three content pages but their hue values have been adjusted programmatically based on the viewer's local time. This change of color gives viewers a sense of immediacy as they become  
25 accustomed to the service.

In addition, the colors selected are appropriately suggestive of the particular day-part in which they are used. For example, the "Morning News" content page shown in Fig. 6A uses warm and soothing orangish-brown colors suggestive of  
30 sunrise and the start of the day. In contrast, the "Nightly

News" content page displayed during primetime (Fig. 6B) has a background made up of various shades of blue, which are evocative of the late evening. Similarly, the latenight Nightly News page (Fig. 6C) uses a background composed of various shades of purple as a suggestion of the very late hours.

In addition to changing colors and other look and feel elements, the particular content (text, images, utilities, advertisement, channel listings, etc.) made available to viewers also can be changed according to day-part. Typically, each different day-part is sold to a different broadcaster as illustrated in the screenshots. In Fig. 6A, for example, the morning day-part for the News Channel has been sold to the ABC network. Accordingly, many, if not all, of the various segments of the content page 600 will display information specific to ABC. For example, the ABC Video Source segment will display a video feed of ABC TV programming such as "Good Morning America." Moreover, the Top Story segment 604 and/or the headline segment 606 will include text describing one of the more newsworthy stories being carried that day by an ABC TV program.

The content page 600 also includes an ad segment 608 advertising an ABC TV program that, for example, is unrelated to the News Channel. Lastly, the page 600 can include segments, such local weather segment 610 and Guide segment 612, that do not relate to a particular network but which provide context-related content (e.g., morning weather forecast) or functionality (e.g., links to other pages).

As seen in Figs. 6B and 6C, content pages 614 and 616 have been sold to the CBS and NBC networks, respectively.

These pages include segments similar to page 600 but contain content or information relating to their respective networks.

The set top device is able to customize the content and/or look and feel of content pages and the viewer interface  
5 regardless of whether the viewer (subscriber to web-based TV service) happens to be online (i.e., "logged in" or actively connected to the service's host computer system) or offline (i.e., not logged into the service's host computer system). The set top device is able to accomplish this feat using one or  
10 more of several different techniques.

In general, either the set top device receives context-related information (i.e., content and/or look and feel information relating to specific contexts) ahead of time and stores, or caches, it for later use, or the set top device  
15 receives the context-related information "on-the-fly" (i.e., in near real time on a need-specific basis), or a combination of both. In this regard, the set top device can receive information, including context-related information, from any of several different sources.

20 Fig. 7 illustrates examples of various sources from which a set top device may receive information including TV programming signals, webpages or other computer-network content, and/or customization information relating to the look and feel of a particular content page for a specific context.  
25 As illustrated, the set top device 701 can receive information from a host computer system 703 (e.g., a web-based TV service provider) via a public or private network 705, from a satellite 707 or network TV broadcast facility 708 using microwave or wireless communications 710, or from a cable TV provider by  
30 means of direct cabling 713. The set top device 701 receives

signals from any or all of these sources and displays them selectively or in combination on a TV monitor 715.

As noted above, when varying or customizing a content page in accordance with a viewer's local context, the set top  
5 device 701 can obtain the context-related information on-the-fly directly from the host computer system 703, provided the set top device is logged into the host system 703 at that time.

Alternatively, or in addition, the set top device 701 can retrieve locally stored information, e.g., from the set top  
10 device's memory or from storage media such as a cassette tape or CD-ROM loaded into a peripheral device connected to the set top device. This locally stored information will have been downloaded previously and cached by the set top box for future use. Retrieval of locally stored information is always  
15 available, whether the viewer is offline or online.

Context-related and/or other information can be communicated to the set top device for storage and subsequent retrieval using any of several different methods. One available technique is to "trickle-down" information from the  
20 host system to the set top device in the background (i.e., transparently to, and without being requested by, the viewer) while the viewer is connected to the host system. This trickled-down information is then stored by the set top device so that it is available for future use, for example, if the  
25 viewer, while offline, requests a content page requiring context-related information.

An alternative mechanism for communicating context-related or other information to the set top device involves the use of vertical blanking intervals (VBIs) in TV frames. The  
30 standard NTSC TV signal used in the United States is made up of



"frames" that are broadcast at a rate of 30 each second. Each frame is formed of 525 scan lines divided equally into two separate and contiguous fields, field 1 and field 2. Each field includes 262.5 scan lines, 241.5 of which carry visible TV signal information - that is, portions of the TV picture.

The first 21 lines in each field represent the VBI. The VBI corresponds to the period of time that it takes the electron beam emitted by the TV set's cathode ray tube (CRT) to reposition itself from the bottom of the TV screen to the top of the screen (also referred to "vertical retracing"). After each field is received and displayed the electron beam must be repositioned in this manner before drawing the first scan line of the next field may commence. Accordingly, no visible TV signal information can be transmitted during the VBI, otherwise TV signal information would be lost. Instead, basically any other type of information may be transmitted to the set top device's TV receiver and used for various purposes, for example, closed captioning, teletext, electronic program guide information, etc. The amount of data that can be transmitted in this manner is roughly equal to the capacity of a 9600 baud modem for each available scan line in the VBI.

Accordingly, in one implementation, context-related information (e.g., describing the look and feel and/or content for a content page) can be communicated directly from the TV broadcaster to a set top device within the VBIs of a TV signal.

For each TV field received, the set top device can extract this information from the VBI and use it to generate various elements of a content page according to a viewer's local context. The VBI can be used in this regard either in real or near real time (i.e., the context-related information in the

VBI can be extracted and used by the set top box immediately upon receipt) or the VBI can be used to trickle-down information to the set top device for storage and subsequent retrieval, as described above.

5           Other mechanisms for communicating context-related information to the set top device include sending data using satellite communications -- for example, similar to messages in a pager or Personal Communication Services (PCS) network -- and/or an "always connected" technology such as Digital  
10 Subscriber Lines (DSL). In either case, the context-related information received by the set top device either can be used immediately or stored for subsequent use.

          Caching context-related information and/or other content in the set top device in the manners described above reduces  
15 the demands on the host computer system and on the communication link connecting the host system to the set top device. For example, viewers need not be logged into the host system in order to be able to view context-related information.

          As a result, because viewers can remain logged off the host  
20 system for much, if not all, of the viewing session, the number of terminal servers or other connection ports that the host system needs to maintain can be reduced. At the same time, the viewer's telephone line, or other communication medium connecting the viewer to the outside world, need not always be  
25 connected to the host system and thus can be freed up for other uses.

          Moreover, some online computer service providers might charge their customers based on the cumulative amount of online time (i.e., connected to a host system). In that case, being  
30 able to change context-related information while the set top

device is in an offline state could benefit subscribers by providing reduced connection-time costs.

Fig. 8 is a flowchart showing an example of the steps involved in a generalized technique for customizing a content page according to a viewer's local context. First, in response to a request for a content page, the set top device will determine the viewer's local context (step 800). In one implementation, this step involves determining the viewer's local time, and thus the viewer's current day-part, by examining a clock or other time-keeping mechanism maintained by, or accessible to, the set top device. Other implementations could involve determining a local context other than time, for example, either based on information stored locally at the set top device or stored remotely at a host computer system.

In other implementations, determining the viewer's local context in step 802 could be more complex and might involve, for example, examining a database of user-specific information to determine the viewer's gender, age, interests, etc. In one such possible implementation, the viewer may have previously specified that the News Channel should be presented to that viewer using a "sports context" -- e.g., the News Channel content page will emphasize or give priority to news features or headlines that relate to sports.

After having determined the viewer's local context, the set top device next will retrieve context-related information for use in customizing the requested content page (step 802). As discussed above, the context-related information can be retrieved whether the set top device is in an online or offline state, and can come either from local sources (e.g.,

information previously received and stored in the set top device) or from remote sources (e.g., host computer, VBI, etc.) or a combination of both.

Next, the set top device uses the retrieved context-related information to customize or otherwise tailor the requested content page according to the viewer's local context (step 804), for example, by changing the look and feel of the content page or its content, or both. Finally, the customized content page is presented to the viewer (step 806).

Fig. 9 is a flowchart showing additional details about steps involved in one implementation for customizing a content page according to a viewer's local context. In this example, the context-related information is divided into two different types: (1) look and feel information (e.g., background colors for content pages) and (2) the content itself (e.g., text, images, utilities, functionality, etc.).

The process of Fig. 9 begins when the set top device senses that a viewer has requested a content page, for example, the News Channel page of Figs. 6A-6C (step 900). In response, the set top box determines the local context (e.g., local time or day-part) in the manner described above (step 902).

Next, the set top device retrieves the first type of context-related information -- namely, the look and feel data -- from local storage (step 904). In this implementation, the look and feel information ordinarily is retrieved from the set top device locally, even if other sources are available (e.g., the set top device is actively connected to the host system). This implementation may be advantageous when certain types of contexts, such as day-parts, are being used because such contexts typically are highly predictable and periodic and

require only a modest amount of look and feel data to be stored locally. In contrast, the content portion of the context-related information ordinarily will be much larger in size and more likely to grow stale and thus in need of frequent

5 replacement. But depending on the particular circumstances, receiving both types of context-related information (i.e., both look and feel data and content) from one or more remote sources might prove advantageous when other types of contexts are used.

Conversely, in still other contexts storing all context-  
10 related information (both look and feel and content) locally could be beneficial.

Next, the set top device determines whether it is online -- i.e., actively connected to the host system (step 906). If so, the set top device then retrieves the second type of  
15 context-related information (content such text and images) from the host system (step 910). On the other hand, if the set top device determines that it is offline, the set top device will retrieve the content from local storage, using information that was received and cached previously (step 908).

20 Finally, both types of retrieved context-related information are used to customize the content page (step 912), which is then presented to the viewer (step 914).

The techniques, methods and systems described here may find applicability in any computing or processing environment  
25 in which electronic content may be viewed, accessed or otherwise manipulated. For instance, the concept of customizing electronic content based on context could be applied whenever one or more users have access to a source of electronic content. One such environment involves a computer  
30 system (e.g., a Microsoft Windows-based PC or Apple Macintosh)

that includes a TV tuner card and which is connected to the Internet.

Various implementations of the systems and techniques described here may be realized in digital electronic circuitry, or in computer hardware, firmware, software, or in combinations thereof. A system or other apparatus that uses one or more of the techniques and methods described here may be implemented as a computer-readable storage medium, configured with a computer program, where the storage medium so configured causes a computer system to operate on input and/or generate output in a specific and predefined manner. Such a computer system may include one or more programmable processors that receive data and instructions from, and transmit data and instructions to, a data storage system, and suitable input and output devices.

Each computer program may be implemented in a high-level procedural or object-oriented programming language, or in assembly or machine language if desired; and in any case, the language may be a compiled or interpreted language. Suitable processors include, by way of example, both general and special purpose microprocessors.

Generally, a processor will receive instructions and data from a read-only memory and/or a random access memory. Storage devices suitable for tangibly embodying computer program instructions and data include all forms of non-volatile memory, including semiconductor memory devices, such as EPROM, EEPROM, and flash memory devices; magnetic disks such as internal hard disks and removable disks; magneto-optical disks; and CD-ROM disks.

Any of the foregoing may be supplemented by, or implemented in, specially-designed ASICs (application-specific

integrated circuits).

A number of embodiments of the present invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention. Accordingly, other  
5 embodiments are within the scope of the following claims.

What is claimed is:

1           1. A method of presenting content in a web-based  
2 television (TV) environment, the method comprising:  
3           determining a local context for a viewer of a web-based  
4 TV system;  
5           customizing a content page based on the determined local  
6 context; and  
7           presenting the customized content page to the viewer.

1           2. The method of claim 1 wherein the local context  
2 corresponds to a local time of day.

1           3. The method of claim 1 wherein the local context  
2 corresponds to a day-part.

1           4. The method of claim 1 wherein the local context  
2 corresponds to one or more of the following factors associated  
3 with the viewer: a geographic location, a history of viewing  
4 patterns, personal or demographic data, or a history of e-  
5 commerce transactions.

1           5. The method of claim 4 wherein the personal or  
2 demographic data comprises one or more of the following: age,  
3 gender, occupation, income, education, interests, or family  
4 status.



1           6. The method of claim 1 wherein the web-based TV  
2 environment comprises a set top device at a local site and a  
3 host system at a remote site, and wherein determining a local  
4 context comprises accessing information stored at the local  
5 site.

1           7. The method of claim 1 wherein the web-based TV  
2 environment comprises a set top device at a local site and a  
3 host system at a remote site, and wherein determining a local  
4 context comprises accessing information stored at the remote  
5 site.

1           8. The method of claim 1 wherein the content page  
2 comprises text, graphics, utilities and/or a display of a TV  
3 program.

1           9. The method of claim 1 wherein customizing the  
2 content page comprises adjusting a look and feel of the content  
3 page to complement the determined local context.

1           10. The method of claim 9 wherein adjusting a look and  
2 feel of the content page comprises specifying one or more  
3 background colors for the content page.

1           11. The method of claim 9 wherein adjusting a look and  
2 feel of the content page comprises specifying a thematic  
3 element associated with the determined local context.

1           12. The method of claim 9 wherein adjusting a look and  
2 feel of the content page comprises modifying a viewer interface  
3 for the content page.

1           13. The method of claim 1 wherein customizing the  
2 content page comprises changing content in the page.

1           14. The method of claim 13 wherein changing content  
2 comprises changing text and/or graphics on the content page.

1           15. The method of claim 14 wherein changing text and/or  
2 graphics comprises changing advertisements.

1           16. The method of claim 14 wherein changing text and/or  
2 graphics comprises changing news or feature headlines.

1           17. The method of claim 13 wherein changing content  
2 comprises modifying the content page to provide access to one  
3 or more utilities.

1           18. The method of claim 1 wherein customizing the  
2 content page comprises providing access to a communications  
3 utility.

1           19. The method of claim 17 wherein modifying the  
2 content page comprises changing one or more functionalities  
3 made available by the content page.

1           20. The method of claim 17 wherein modifying the  
2 content page comprises changing links made available by the  
3 content page, the links providing access to associated  
4 resources.

1           21. The method of claim 1 wherein the web-based TV  
2 environment comprises a set top device at a local site and a  
3 host system at a remote site, and wherein the method further  
4 comprises the set top device receiving context-related  
5 information from the host system and storing the received  
6 information at the local site for future use.

1           22. The method of claim 21 wherein customizing the  
2 content page comprises retrieving a first portion of context-  
3 related information from the local site and a second portion of  
4 context-related information from the remote site.

1           23. The method of claim 22 wherein the first portion of  
2 context-related information corresponds to a look and feel of  
3 the content page and the second portion of context-related  
4 information corresponds to content of the content page.

1           24. The method of claim 23 further comprising  
2 determining whether the set top device is actively connected to  
3 the host system.

1           25. The method of claim 24 wherein customizing the  
2 content page comprises retrieving context-related information  
3 (i) from the remote site if the set top device is determined to  
4 be actively connected to the host system (ii) from the local  
5 site if the set top device is determined not to be actively  
6 connected to the host system.

1           26. The method of claim 1 wherein customizing the  
2 content page comprises receiving context-related information in  
3 a vertical blanking interval of a TV signal.

1           27. The method of claim 1 wherein customizing the  
2 content page comprises receiving context-related information  
3 using satellite communications.

1           28. The method of claim 1 wherein presenting the  
2 customized content page to the viewer comprises displaying a  
3 window on the viewer's display monitor.

1           29. The method of claim 1 wherein presenting the  
2 customized content page comprises presenting TV-based content  
3 or computer network-based content or a combination of both.

1           30. A method of presenting electronic content in a  
2 computer-network based environment including a host computer  
3 and a local computer, the method comprising:  
4           determining a local context for a user of the computer  
5 network;  
6           selectively retrieving from the host computer or from  
7 the local computer context-related information associated with  
8 the determined local context; and  
9           customizing the content page based on the retrieved  
10 context-related information.

1           31. The method of claim 30 wherein the selective  
2 retrieval of context-related information from the host computer  
3 or from the local computer depends on whether the local  
4 computer presently is in communication with the host computer.

1           32. The method of claim 30 further comprising  
2 determining whether the local computer presently is in  
3 communication with the host computer.

1           33. The method of claim 32 wherein the selective  
2 retrieval of context-related information comprises retrieving  
3 information from the host computer if the local computer is  
4 determined to be in communication with the host computer, and  
5 retrieving information from the local computer if the local  
6 computer is determined not to be in communication to the host  
7 computer.

1           34. The method of claim 30 wherein the computer-network  
2 based environment comprises a web-based TV system.

1           35. The method of claim 34 wherein the local computer  
2 comprises a set top device at a local site and the host  
3 computer comprises a host system at a remote site, and wherein  
4 determining the local context comprises accessing information  
5 stored at the local site.

1           36. The method of claim 34 wherein the local computer  
2 comprises a set top device at a local site and the host  
3 computer comprises a host system at a remote site, and wherein  
4 determining the local context comprises accessing information  
5 stored at the remote site.

1           37. The method of claim 30 wherein the local context  
2 corresponds to a local time of day.

1           38. The method of claim 30 wherein the local context  
2 corresponds to a day-part.

1           39. The method of claim 30 wherein the local context  
2 corresponds to one or more of the following factors associated  
3 with a viewer: a geographic location, a history of viewing  
4 patterns, personal or demographic data, or a history of e-  
5 commerce transactions.

1           40. The method of claim 39 wherein the personal or  
2 demographic data comprises one or more of the following: age,  
3 gender, occupation, income, education, interests, or family  
4 status.

1           41. The method of claim 30 wherein the content page  
2 comprises text, graphics, utilities and/or a display of a TV  
3 program.

1           42. The method of claim 30 wherein customizing the  
2 content page comprises adjusting a look and feel of the content  
3 page to complement the determined local context.

1           43. The method of claim 42 wherein adjusting a look and  
2 feel of the content page comprises specifying one or more  
3 background colors for the content page.

1           44. The method of claim 42 wherein adjusting a look and  
2 feel of the content page comprises specifying a thematic  
3 element associated with the determined local context.

1           45. The method of claim 42 wherein adjusting a look and  
2 feel of the content page comprises modifying a viewer interface  
3 for the content page.

1           46. The method of claim 30 wherein customizing the  
2 content page comprises changing content in the page.

1           47. The method of claim 46 wherein changing content  
2 comprises changing text and/or graphics on the content page.

1           48. The method of claim 47 wherein changing text and/or  
2 graphics comprises changing advertisements.

1           49. The method of claim 47 wherein changing text and/or  
2 graphics comprises changing news or feature headlines.

1           50. The method of claim 46 wherein changing content  
2 comprises modifying the content page to provide access to one  
3 or more utilities.

1           51. The method of claim 50 wherein modifying the  
2 content page comprises providing access to a communications  
3 utility.

1           52. The method of claim 50 wherein modifying the  
2 content page comprises changing one or more functionalities  
3 made available by the content page.

1           53. The method of claim 50 wherein modifying the  
2 content page comprises changing links made available by the  
3 content page, the links providing access to associated  
4 resources.

1           54. The method of claim 30 wherein the local computer  
2 comprises a set top device at a local site and the host  
3 computer comprises a host system at a remote site, and wherein  
4 the method further comprises the set top device receiving  
5 context-related information from the host system and storing  
6 the received information at the local site for future use.



1           55. The method of claim 54 wherein customizing the  
2 content page comprises retrieving a first portion of context-  
3 related information from the local site and a second portion of  
4 context-related information from the remote site.

1           56. The method of claim 55 wherein the first portion of  
2 context-related information corresponds to a look and feel of  
3 the content page and the second portion of context-related  
4 information corresponds to content of the content page.

1           57. The method of claim 54 further comprising  
2 determining whether the set top device is actively connected to  
3 the host system.

1           58. The method of claim 57 wherein customizing the  
2 content page comprises retrieving context-related information  
3 (i) from the remote site if the set top device is determined to  
4 be actively connected to the host system (ii) from the local  
5 site if the set top device is determined not to be actively  
6 connected to the host system.

1           59. The method of claim 30 wherein customizing the  
2 content page comprises receiving context-related information in  
3 a vertical blanking interval of a TV signal.

1           60. The method of claim 30 wherein customizing the  
2 content page comprises receiving context-related information  
3 using satellite communications.

1           61. The method of claim 30 further comprising  
2 presenting the customized content page to a viewer.

1           62. A method of presenting electronic content in a web-  
2 based television (TV) system including a host computer and a  
3 local computer, the method comprising:  
4           detecting that a user of the web-based TV system has  
5 requested access to a content page;  
6           determining a local context for the user;  
7           determining whether the user is logged in to the host  
8 computer;  
9           retrieving context-specific information associated with  
10 the determined local context, the information being retrieved  
11 (i) from the host computer if the user is determined to be  
12 logged in to the host computer, or (ii) from the local computer  
13 if the user is not logged in to the host computer; and  
14           customizing the content page based on the retrieved  
15 context-specific information.

1           63. A method of presenting electronic content in a web-  
2 based television (TV) system including a host computer and a  
3 local computer, the method comprising:  
4           detecting that a viewer of the web-based TV system has  
5 requested access to a content page;  
6           determining a local time of day for the viewer;  
7           determining whether the viewer is logged in to the host  
8 computer;  
9           retrieving day-part information associated with the  
10 determined local time of day, the day-part information being  
11 retrieved (i) from the host computer if the viewer is  
12 determined to be logged in to the host computer, or (ii) from  
13 the local computer if the viewer is not logged in to the host  
14 computer; and  
15           customizing the content page based on the retrieved day-  
16 part information.

1           64. A web-based TV system comprising:  
2           a set top device at a local site being operatively  
3 coupled and capable of logging in to a host computer at a  
4 remote site, the set top device comprising software  
5 instructions to perform the following operations:  
6           determine a local context for a viewer of the web-based  
7 TV system;  
8           customize a content page based on the determined local  
9 context; and  
10           present the customized content page to the viewer.

1           65. The system of claim 64 further comprising a display  
2 monitor, coupled to the set top device, on which the customized  
3 content page is presented to the viewer.

1           66. The system of claim 64 wherein the set top device  
2 further comprises:  
3           a network adapter for communicating with the host  
4 computer; and  
5           a TV tuner for receiving TV signals.

1           67. The system of claim 66 wherein the set top device  
2 further comprises instructions to selectively receive context  
3 information through the network adapter or through the TV  
4 tuner.

1           68. The system of claim 67 wherein the instructions to  
2 selectively receive context information comprise instructions  
3 to receive information (i) through the network adapter if the  
4 set top device is actively logged in to the host computer; and  
5 (ii) through the TV tuner if if the set top device is not  
6 actively logged in to the host computer.

1           69. Computer software, tangibly embodied in a computer-  
2 readable medium and/or in a propagated carrier signal, for  
3 presenting electronic content in a web-based television (TV)  
4 system including a host computer and a local computer, the  
5 software comprising instructions to perform the following  
6 operations:  
7           detect that a user of the web-based TV system has  
8 requested access to a content page;  
9           determine a local context for the user;  
10          determine whether the user is logged in to the host  
11 computer;  
12          retrieve context-specific information associated with  
13 the determined local context, the information being retrieved  
14 (i) from the host computer if the user is determined to be  
15 logged in to the host computer, or (ii) from the local computer  
16 if the user is not logged in to the host computer; and  
17          customize the content page based on the retrieved  
18 context-specific information.

1/11




FIG. 1  
(PRIOR ART)

2/11




FIG. 2  
(PRIOR ART)

300




FIG. 3



4/11





FIG. 4  
(PRIOR ART)

5/11






FIG. 6A

614




FIG. 6B

616




FIG. 6C




FIG. 7

10/11




FIG. 8




FIG. 9



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/21123

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04N5/00 H04N5/445

According to international Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 30493 A (COGENT TECHNOLOGY INC) 17 June 1999 (1999-06-17)	1,4,6-8, 13-15, 21,22, 26-36, 39,41, 46-48, 54,55, 59-61
Y	page 9, line 10 -page 33	62, 64-67,69
Y	US 5 734 853 A (BERKOBIN ERIC C ET AL) 31 March 1998 (1998-03-31) column 6, line 24 -column 47	62, 64-67,69
A	EP 0 742 670 A (VIDEO JUKEBOX NETWORK INC) 13 November 1996 (1996-11-13) column 2, line 50 -column 19	62-69
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

° Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \* & \* document member of the same patent family

Date of the actual completion of the international search

27 November 2000

Date of mailing of the international search report

04/12/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.  
Fax: (+31-70) 340-3016

Authorized officer

Materne, A

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/21123

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
A	<p>US 5 635 979 A (HUDSON JR HENRY G ET AL)</p> <p>3 June 1997 (1997-06-03)</p> <p>column 6, line 12 -column 19, line 15</p> <p>-----</p>	<p>9-12,</p> <p>23-25,</p> <p>42-45,56</p>

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/21123

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9930493	A	17-06-1999	US 6029045 A	22-02-2000
			AU 1812999 A	28-06-1999
US 5734853	A	31-03-1998	AT 177277 T	15-03-1999
			AT 176840 T	15-03-1999
			AT 192005 T	15-05-2000
			AT 190180 T	15-03-2000
			AT 183352 T	15-08-1999
			AT 176841 T	15-03-1999
			AT 197366 T	15-11-2000
			AU 715683 B	10-02-2000
			AU 4440797 A	29-01-1998
			AU 712157 B	28-10-1999
			AU 4532597 A	05-02-1998
			AU 693775 B	09-07-1998
			AU 5732994 A	04-07-1994
			AU 692427 B	11-06-1998
			AU 5733094 A	04-07-1994
			AU 691479 B	21-05-1998
			AU 5733194 A	04-07-1994
			AU 692428 B	11-06-1998
			AU 5733294 A	04-07-1994
			AU 5736394 A	04-07-1994
			AU 5845894 A	22-06-1994
			AU 5869894 A	04-07-1994
			AU 716184 B	24-02-2000
			AU 6066798 A	04-06-1998
			AU 716182 B	24-02-2000
			AU 6066898 A	04-06-1998
			BR 9307619 A	15-06-1999
			BR 9307620 A	10-08-1999
			BR 9307621 A	15-06-1999
			BR 9307622 A	15-06-1999
			BR 9307623 A	16-05-2000
			BR 9307624 A	15-06-1999
			BR 9307625 A	31-08-1999
			CA 2151456 A	23-06-1994
			CA 2151457 A	23-06-1994
			CA 2151458 A	23-06-1994
			CA 2151459 A	23-06-1994
			CA 2151460 A	23-06-1994
			CA 2151461 A	09-06-1994
			CA 2151462 A	23-06-1994
			CN 1259826 A	12-07-2000
			CN 1259827 A	12-07-2000
			CN 1093211 A	05-10-1994
			CN 1090451 A	03-08-1994
			CN 1090452 A	03-08-1994
			CN 1096151 A	07-12-1994
			CN 1090453 A	03-08-1994
			CN 1090454 A	03-08-1994
			DE 69323560 D	25-03-1999
EP 0742670	A	13-11-1996	US 5914712 A	22-06-1999
			GB 2301269 A, B	27-11-1996
			US 6124854 A	26-09-2000
US 5635979	A	03-06-1997	AU 2657995 A	21-12-1995

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 00/21123

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5635979 A		WO 9533338 A	07-12-1995
		US 5666293 A	09-09-1997
		US 5768539 A	16-06-1998
		US 5978855 A	02-11-1999
<hr/>			